

Installation

Ceiling Panels (for suspension) Type CP4

Introduction:

These fixing instructions are to be read and fully understood before installation commences.

If there is anything you are not sure about, or if you want to know more about these items, please contact us for clarification.

GA Ceiling Panels, are to be installed by suitably qualified contractors with the necessary knowledge and expertise. Current construction methods are to be used.

The installation contractor has the responsibility and duty to ensure proper safety, so that during and after completion of the installation, the Ceiling Panels remain properly secured to both the supporting structure and to the suspension system (supplied by others).

Please refer to our Health & Safety Data Sheet, for additional guidance on off-loading, site storage, etc.

These products are not intended to have electrical wiring installed. Where this is a requirement, the specifier and installer should ensure that all electrical safety regulations have been complied with.

Installation:

Carefully unpack, and closely inspect the panels and components, including the threaded studs (covered with protective rubber caps). Please contact GA if any items are damaged, and put these to one side.

Locate the L or Z shaped brackets onto the panels' threaded studs, and secure with the supplied nuts and washers.

With a minimum of two operatives, safely secure the panels to the pre-installed suspension system (supplied by others), by fixing through the pre-drilled holes in the L or Z shaped brackets.

Once installed, check to ensure that all the suspended panels are straight and level (adjust as necessary), and are properly secured.

